

# DISCLOSURE OF INFORMATION ON LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS IN PURCHASE AND SALE TRANSACTIONS ("LEAD-BASED PAINT EXHIBIT")

## EXHIBIT " \_\_\_\_\_ "



2021 Printing

This Exhibit pertains to that certain Property known as: 1671 Delia Dr, Decatur, Georgia 30033.

**UNDER FEDERAL LAW, THIS EXHIBIT MUST BE SIGNED BY THE SELLER AND BUYER, AND THE BUYER PROVIDED WITH A COPY OF THE LEAD-BASED PAINT BROCHURE PRIOR TO THE BUYER AND SELLER ENTERING INTO A BINDING AGREEMENT. THIS AGREEMENT MUST BE FILLED OUT FOR ALL HOUSING BUILT PRIOR TO 1978.**

### Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards

#### Hazards Lead Warning Statement

Every buyer of any interest in residential property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the Buyer with any information on lead-based paint hazards from risk assessments or inspections in the Seller's possession and notify the Buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

#### Seller's Disclosure

(a) Presence of lead-based paint and/or lead paint hazard [initial (i) or (ii) below]. The section not initialed shall not be part of this Exhibit]

(i)   Known lead-based paint and/or lead-based paint hazards are present in the housing (explain below):

Check box if additional pages of explanations are attached and incorporated herein.

(ii)   Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and Reports available to the Seller [initial (i) or (ii) below]. The section not initialed shall not be part of this Exhibit]:

(i)   Seller has provided the Buyer with all the available records and reports pertaining to lead-based paint and/or lead based paint hazards in the housing (list document below):

(ii)   Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

#### Buyer's Acknowledgment [initial all applicable sections below]:

(c)   Buyer has received copies of all information, if any, listed above.


(d)   Buyer has received the pamphlet *Protect Your Family from Lead in Your Home*

(e) Buyer has: [initial (i) or (ii) below]:

(i)   Received a ten (10) day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards (prior to Buyer being obligated under the Purchase and Sale Agreement); or


(ii)   Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards (which shall not prevent Buyer from evaluating the Property for lead-based paint and lead-based paint hazards during any Due Diligence or Right to Request Repairs Period).

**Agent's Acknowledgment** (Agent who informed Seller of Seller's Obligations should initial).

(f)  Seller's Agent has informed the Seller of the Seller's obligations under 42 U.S.C. § 4852(d) and is aware of his/her responsibility to ensure compliance.


**Certification of Accuracy**

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.



**1 Buyer's Signature** Date


Print or Type Name



**2 Buyer's Signature** Date


Print or Type Name

Additional Signature Page (F267) is attached.




**Buyer's Agent Signature** Date

Print or Type Name

 dotloop verified  
09/26/21 10:22 PM EDT  
TB18-487X-VV79-HGDJ

**1 Seller's Signature** Date


Nancy Proffitt  
Print or Type Name



**2 Seller's Signature** Date

Print or Type Name

Additional Signature Page (F267) is attached.

 dotloop verified  
09/24/21 1:42 PM EDT  
Y71G-L4PQ-UUVG-Y9PL

**Seller's Agent Signature** Date

Atlanta Turtle Group  
Print or Type Name

# DEKALB COUNTY PLUMBING DISCLOSURE EXHIBIT “ \_\_\_\_\_ ”



**2021 Printing**

This Exhibit is part of the Agreement with an Offer Date of \_\_\_\_\_ for the purchase and sale of that certain Property known as: 1671 Delia Dr, Decatur, Georgia 30033.

Seller hereby discloses to Buyer that: (1) the Property is located in unincorporated DeKalb County and contains a residence or other structure constructed prior to 1993, and (2) Buyer shall be obligated as a condition of applying for water service from DeKalb County to attach to the application a certificate of compliance signed by a home inspector, Department of Watershed Management inspector or licensed plumber certifying that all plumbing fixtures on the Property are water conserving plumbing fixtures.

A water conserving plumbing fixture shall mean the following: ultra low-flow toilets (ULFTs) that use a maximum of 1.6 gallons per flush; urinals that use a maximum of 1.0 gallons per flush; showerheads that emit a maximum of 2.5 gallons per minute; lavatory faucets that emit a maximum of 2.0 gallons per minute; and kitchen faucets that emit a maximum of 2.2 gallons per minute.

**Exemptions**

This requirement shall not apply to Buyer if:

1. The Property is being advertised for foreclosure; or
2. Buyer is demolishing the residence after it is purchased; provided, however, that any water service that is being obtained by the Buyer may only be used for demolition or construction related purposes; or
3. Buyer is a spouse, child or parent of the Seller (including conveyances during the administration of the estate of such spouse, parent or child); or
4. The cost to install the water conserving plumbing fixtures exceeds One Thousand (\$1,000) dollars per toilet in a single family residential building; or
5. The cost to install water conserving plumbing fixtures exceeds Two Thousand (\$2,000) dollars per toilet in a commercial property or apartment.

Questions regarding whether Buyer is eligible for an exemption to the law requiring the installation of water conserving plumbing fixtures should be directed to the DeKalb County Department of Watershed Management at 770-621-7200.

The undersigned acknowledges receipt of the above-referenced disclosure prior to entering into a contract to purchase the above-referenced Property.

Buyer's Initials: \_\_\_\_\_

Seller's Initials: \_\_\_\_\_

10:22 PM EDT  
09/26/21  
dotloop verified